<u>1</u> 20

25

5

10

1. A method for converting an application specific presentation file stored in a first data store with corresponding metadata to a universal format for display on a web browser, comprising the steps of:

reading the metadata corresponding to the application specific file from the database;

determining from the metadata whether the file extension corresponds to the specific application;

loading the application specific file from the database;

validating that the application specific file corresponds to the specific application by examining header information of the application specific file;

converting the application specific file into a universal image file format; modifying the resolution of the universal format file; validating the resolution of the universal format file; and storing the modified universal format file in a second data store for display on the web browser.

- The method recited in claim 1 further comprising the steps of: uploading the application specific file to the first data store; and detecting the uploaded application specific file in the database.
- 3. The method recited in claim 1 further comprising the step of: transmitting the modified universal format file to the web browser for display.
- 4. The method recited in claim 1, wherein the universal image file format is a JPEG format.
- 5. The method recited in claim 1, wherein the modifying step modifies the resolution of the universal format file to 400 X 300.

25

10

- 6. The method recited in claim 1, further comprising the steps of: converting the modified universal format file to an image stream; and transmitting the image stream to the web browser for display.
- 7. A method for converting a PowerPoint formatted presentation file stored in a first data store with corresponding metadata to a universal format for display on a web browser, comprising the steps of:

uploading the PowerPoint file to the database;
detecting the uploaded PowerPoint file in the database;
reading the metadata corresponding to the PowerPoint file from the database;
determining from the metadata whether the file extension corresponds to the
specific application;

loading the PowerPoint file from the database;

validating that the PowerPoint file corresponds to the specific application by examining header information of the PowerPoint file;

dispatching the PowerPoint file to a converter algorithm application; converting the PowerPoint file into a universal image file format; modifying the resolution of the universal format file; validating the resolution of the universal format file; storing the modified universal format file in a second data store; and transmitting the modified universal format file to the web browser for display.

8. The method recited in claim 7 further comprising the steps of: uploading the application specific file to the first data store; and detecting the uploaded application specific file in the database.

- 9. The method recited in claim 7 further comprising the step of: transmitting the modified universal format file to the web browser for display.
- 30 10. The method recited in claim 7, wherein the universal image file format is a JPEG format.

25

10

- 11. The method recited in claim 7, wherein the modifying step modifies the resolution of the universal file format to 400 by 300 pixels.
- The method recited in claim 7, further comprising the steps of:

 converting the modified universal format file to an image stream; and transmitting the image stream to the web browser for display.
 - 14. A system for converting an application specific file presentation files stored in a first data store with corresponding metadata to a universal format for display on a web browser, comprising the steps of:

means for reading the metadata corresponding to the application specific file from the database:

means for determining from the metadata whether the file extension corresponds to the specific application;

means for loading the application specific file from the database; means for validating that the application specific file corresponds to the specific

means for converting the application specific file into a universal image file format;

application by examining header information of the application specific file;

means for modifying the resolution of the universal format file;
means for validating the resolution of the universal format file; and
a second data store, wherein the modified universal format file is stored in the
second data store for display on the web browser.

- 15. The system recited in claim 13 further comprising: means for uploading the application specific file to the first data store; and means for detecting the uploaded application specific file in the database.
- 30 16. The system recited in claim 13 further comprising:

5

means for transmitting the modified universal format file to the web browser for display.

- 17. The system recited in claim 13, wherein the universal image file format is a JPEG format.
 - 18. The system recited in claim 13, wherein the means for modifying modifies the resolution of the universal file format to 400 by 300 pixels.
- 10 19. The system recited in claim 13, further comprising:

 means for converting the modified universal format file to an image stream; and
 means for transmitting the image stream to the web browser for display.